


What is claimed is:

1. A compound of formula I



in which

R¹ represents a hydrogen or a methyl group;

R² represents a hydrogen atom or an optionally substituted alkyl, alkenyl, alkynyl, alkadienyl or phenyl group;

Hal represents a halogen atom; and

L¹ through L⁵ each independently represent an hydrogen or halogen atom or an alkyl, alkoxy or nitro group, provided that at least one of L¹ through L⁵ represents a nitro or alkoxy group.

2. A compound according to claim 1 in which at least one of L¹ and L⁵ represents a halogen atom.

3. A compound according to claim 1 in which R² represents a hydrogen or a C₁₋₁₀ alkyl group.

4. A compound according to claim 1 in which at least one of R¹ and R² represents a hydrogen atom.


5. The following compounds of formula 1:

5-chloro-6-(4-methoxyphenyl)-7-(2,2,2-trifluoroethylamino)-[1,2,4]triazolo[1,5-a]pyrimidine;


Sub B3

4 5-chloro-6-(4-nitrophenyl)-7-(2,2,2-trifluoroethylamino)-
 5 [1,2,4]triazolo[1,5-a]pyrimidine; and,
 6 5-chloro-6-(2,6-difluoro-4-methoxyphenyl)-7-[2-(1,1,1-
 7 trifluoro)propylamino]-
 8 [1,2,4]triazolo[1,5-a]pyrimidine.

1 6. A process for the preparation of a compound of formula I as
 2 defined in claim 1, which process comprises:
 3 treating a compound of formula II



4 in which
 5 L¹ through L⁵ and Hal are as defined in claim 1;
 6 with an amine of formula III



8 in which
 9 R¹ and R² are as defined in claim 1,
 10 M represents a hydrogen atom, or a free or complexed metal atom,
 11 to produce a compound of formula I.

13
 1 7. A fungicidal composition which comprises a carrier, and as
 2 active agent, at least one compound of formula 1 as defined in claim 1.

Sub
B3

03640438-043301

Sub
B3

- 3 8. A method of combating fungus at a locus which comprises
4 treating the locus with a fungicidally effective amount of a compound of
5 formula 1 as defined in claim 1.
-

add
B4

090404030 040301
090404030 040301